Chemwatch GHS Safety Data Sheet Issue Date: 11-Feb-2013

C554SP

CHEMWATCH 4728-98 Version No:7.1.1.1 CD 2012/4 Page 1 of 7

## Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### **PRODUCT NAME**

SMART SAN INSTANT MIST HAND SANITISER

#### PROPER SHIPPING NAME

ALCOHOLS, N.O.S.(contains ethanol and isopropanol)

#### PRODUCT USE

■ MSDS are intended for use in the workplace. For domestic-use products, refer to consumer labels.

For sanitising hands by direct application of the product onto the hands, using several types of spray pack.

The product is not rinsed off, but dries by evaporation.

NOTE: WARNINGS BELOW ARE FOR EXPOSURE TO LARGE QUANTITIES of THE PRODUCT. NORMAL USAGE SHOULD NOT CREATE HAZARDOUS CONDITIONS.

#### **SUPPLIER**

Company: Saraya Australia Pty Ltd

Address:

Unit 12, 2-4 Northumberland Drive

Caringbah NSW, 2229 Australia

Telephone: +61 2 9542 7400 Emergency Tel: +61 2 9542 7400

Fax: 02 9542 7477

### **Section 2 - HAZARDS IDENTIFICATION**

### **GHS Classification**

Eye Irritation Category 2A Flammable Liquid Category 2 STOT - SE Category 3





### **EMERGENCY OVERVIEW**

### **HAZARD**

**DANGER** 

Determined by Chemwatch using GHS criteria

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

#### PRECAUTIONARY STATEMENTS

Prevention

Code Phrase

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion- proof electrical/ventilating/lighting/equipment

P242 Use only non- sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well- ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

Code Phrase

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Chemwatch GHS Safety Data Sheet Issue Date: 11-Feb-2013

C554SP

CHEMWATCH 4728-98 Version No:7.1.1.1 CD 2012/4 Page 2 of 7 Section 2 - HAZARDS IDENTIFICATION

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage

P312

Code Phrase

P403+P233 Store in a well- ventilated place. Keep container tightly closed.

P403+P235 Store in a well- ventilated place. Keep cool.

P405 Store locked up.

Disposal

Code Phrase

P501 Dispose of contents/container.

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

 NAME
 CAS RN
 %

 ethanol
 64-17-5
 >60

 isopropanol
 67-63-0
 1-9

NOTE: Manufacturer has supplied full ingredient information to allow CHEMWATCH assessment.

### **Section 4 - FIRST AID MEASURES**

#### **SWALLOWED**

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- · Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.

## EYE

- If this product comes in contact with the eyes:
- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### SKIN

■ No adverse effects anticipated from normal use.

Wipe off excess with absorbent tissue or towel.

#### **INHALED**

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

### **NOTES TO PHYSICIAN**

- For acute or short term repeated exposures to ethanol:
- Acute ingestion in non-tolerant patients usually responds to supportive care with special attention to prevention of aspiration, replacement of fluid and correction of nutritional deficiencies (magnesium, thiamine pyridoxine, Vitamins C and K).
- Give 50% dextrose (50-100 ml) IV to obtunded patients following blood draw for glucose determination.
- Comatose patients should be treated with initial attention to airway, breathing, circulation and drugs of immediate importance (glucose, thiamine).
- Decontamination is probably unnecessary more than 1 hour after a single observed ingestion. Cathartics and charcoal may be given but are probably not effective in single ingestions.

Chemwatch GHS Safety Data Sheet Issue Date: 11-Feb-2013

C554SP

CHEMWATCH 4728-98 Version No:7.1.1.1 CD 2012/4 Page 3 of 7

### **Section 5 - FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

- · Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).

#### **FIRE FIGHTING**

- Alert Fire Brigade and tell them location and nature of hazard.
- May be violently or explosively reactive.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water course.

## FIRE/EXPLOSION HAZARD

- · Liquid and vapour are highly flammable.
- Severe fire hazard when exposed to heat, flame and/or oxidisers.
- Vapour may travel a considerable distance to source of ignition.
- Heating may cause expansion or decomposition leading to violent rupture of containers.

Combustion products include: carbon dioxide (CO2), other pyrolysis products typical of burning organic material.

### FIRE INCOMPATIBILITY

 Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

### **Section 6 - ACCIDENTAL RELEASE MEASURES**

#### **MINOR SPILLS**

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.

## **MAJOR SPILLS**

- · Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- May be violently or explosively reactive.
- · Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

#### Section 7 - HANDLING AND STORAGE

#### PROCEDURE FOR HANDLING

■ None required when handling small quantities.

OTHERWISE:

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

### **SUITABLE CONTAINER**

- Packing as supplied by manufacturer.
- Plastic containers may only be used if approved for flammable liquid.
- Check that containers are clearly labelled and free from leaks.

## STORAGE INCOMPATIBILITY

■ Avoid storage with oxidisers.

## STORAGE REQUIREMENTS

- Store in original containers in approved flame-proof area.
- No smoking, naked lights, heat or ignition sources.
- DO NOT store in pits, depressions, basements or areas where vapours may be trapped.
- Keep containers securely sealed.

Chemwatch GHS Safety Data Sheet Issue Date: 11-Feb-2013

C554SP

CHEMWATCH 4728-98 Version No:7.1.1.1 CD 2012/4 Page 4 of 7

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

OSUF	1 P	$\sim$

Source	Material	TWA ppm	TWA mg/m³	STEL ppm	STEL mg/m³
Australia Exposure	Smart San Instant Mist	1000	1880		
Standards	Hand Sanitiser (Ethyl				
	alcohol)				
Australia Exposure	Smart San Instant Mist	400	983	500	1230
Standards	Hand Sanitiser				
	(Isopropyl alcohol)				

## **MATERIAL DATA**

SMART SAN INSTANT MIST HAND SANITISER:

Not available

#### PERSONAL PROTECTION

#### EYE

- No special equipment for minor exposure i.e. when handling small quantities.
- OTHERWISE:
- Safety glasses with side shields.

### HANDS/FEET

■ None under normal operating conditions.

#### OTHER

- None required when handling small quantities.
- OTHERWISE:
- Overalls.
- · Eyewash unit.

## **ENGINEERING CONTROLS**

■ None required when handling small quantities.

OTHERWISE:

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### **APPEARANCE**

Clear highly flammable liquid with low viscosity; mixes with water.

## **PHYSICAL PROPERTIES**

Liquid.

Mixes with water.

State	Liquid	Molecular Weight	Not Applicable
Melting Range (℃)	Not Available	Viscosity	Not Available
Boiling Range (℃)	Not Available	Solubility in water (g/L)	Miscible
Flash Point (℃)	~21.1 (TCC)	pH (1% solution)	Not Available
Decomposition Temp (℃)	Not Available	pH (as supplied)	Not Available
Autoignition Temp (℃)	Not Available	Vapour Pressure (kPa)	Not Available
Upper Explosive Limit (%)	15	Specific Gravity (water=1)	Not Available
Lower Explosive Limit (%)	5.5	Relative Vapour Density	Not Available
		(air=1)	

Volatile Component (%vol) Not Available Evaporation Rate Not Available

Chemwatch GHS Safety Data Sheet Issue Date: 11-Feb-2013

C554SP

CHEMWATCH 4728-98 Version No:7.1.1.1 CD 2012/4 Page 5 of 7

#### Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

#### **CONDITIONS CONTRIBUTING TO INSTABILITY**

- · Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

For incompatible materials - refer to Section 7 - Handling and Storage.

### Section 11 - TOXICOLOGICAL INFORMATION

### Health hazard summary table:

Not applicable Acute toxicity Not applicable Skin corrosion/irritation Serious eye damage/irritation Eye Irrit. 2A Respiratory or skin sensitization Not applicable Germ cell mutagenicity Not applicable Carcinogenicity Not applicable Reproductive toxicity Not applicable STOT- single exposure STOT SE 3 STOT- repeated exposure Not applicable Aspiration hazard Not applicable

#### POTENTIAL HEALTH EFFECTS

#### **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

- Considered an unlikely route of entry in commercial/industrial environments.
- Ingestion may result in nausea, abdominal irritation, pain and diarrhoea.

#### FYF

■ The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

### SKIN

- Not considered an irritant through normal use.
- Excessive use or prolonged contact may lead to defatting, drying and irritation of sensitive skin.

### **INHALED**

- Not considered an irritant through normal use.
- Inhalation hazard is increased at higher temperatures.

#### **CHRONIC HEALTH EFFECTS**

■ Principal hazards are accidental eye contact and cleaner overuse. Overuse or obsessive cleaner use may lead to defatting of the skin and may cause irritation, drying, cracking, leading to dermatitis. Indicators are that short term exposure to the material is not harmful.

### **TOXICITY AND IRRITATION**

■ Not available. Refer to individual constituents.

### **Section 12 - ECOLOGICAL INFORMATION**

This material and its container must be disposed of as hazardous waste.

**Ecotoxicity** 

Ingredient Persistence: Persistence: Air Bioaccumulation Mobility Water/Soil Smart San Instant Mist Hand No Data No Data No Data No Data Sanitiser Available Available Available Available

**Chemwatch GHS Safety Data Sheet** Issue Date: 11-Feb-2013

C554SP

**CHEMWATCH 4728-98** Version No:7.1.1.1 CD 2012/4 Page 6 of 7

### **Section 13 - DISPOSAL CONSIDERATIONS**

- Consult manufacturer for recycling options and recycle where possible .
- Consult State Land Waste Management Authority for disposal.
- Incinerate residue at an approved site.
- · Recycle containers if possible, or dispose of in an authorised landfill.

### **Section 14 - TRANSPORTATION INFORMATION**



Labels Required: FLAMMABLE LIQUID

HAZCHEM: (ADG7) •3YE

ADG7:

Subsidiary Risk: Class or Division: 3 None 1987 Packing Group: UN No.: Ш Special Provision: Limited Quantity: 274 1 L

TP1 TP8 TP28 Portable Tanks & Bulk Portable Tanks & Bulk

Containers -Containers - Special Instruction:

Provision:

Packagings & IBCs -P001 IBC02 Packagings & IBCs -

None Packing Instruction: Special Packing

Provision:

Name and Description: ALCOHOLS, N.O.S. (contains ethanol and

isopropanol)

Land Transport UNDG:

Class or division: 3 Subsidiary risk: None UN No.: 1987 UN packing group:

Shipping Name: ALCOHOLS, N.O.S. (contains ethanol and isopropanol)

Air Transport IATA:

ICAO/IATA Class: 3 ICAO/IATA Subrisk: None UN/ID Number: 1987 Packing Group: Ш

Special provisions: A3

Shipping name: ALCOHOLS, N.O.S. (contains ethanol and isopropanol)

**Maritime Transport IMDG:** 

IMDG Class: 3 IMDG Subrisk: None **UN Number:** 1987 Packing Group: Ш EMS Number: F- E, S- D Special provisions: 274

Limited Quantities: 1 L

Shipping name: ALCOHOLS, N.O.S. (contains ethanol and isopropanol)

## **Section 15 - REGULATORY INFORMATION**

Indications of Danger:

Highly Flammable

Xi Irritant

POISONS SCHEDULE None

# **REGULATIONS**

Smart San Instant Mist Hand Sanitiser (CAS: ) is found on the following regulatory lists;

"Australia Quarantine and Inspection Service List of chemical compounds that are accepted solely for use at establishments registered to prepare meat and meat products for the purpose of the Export Control Act 1982"

Chemwatch GHS Safety Data Sheet Issue Date: 11-Feb-2013

C554SP

CHEMWATCH 4728-98 Version No:7.1.1.1 CD 2012/4 Page 7 of 7

## **Section 16 - OTHER INFORMATION**

- Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

  A list of reference resources used to assist the committee may be found at:

  www.chemwatch.net/references.
- The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This is the original MSDS created for Saraya Australia.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 11-Feb-2013 Print Date: 14-Feb-2013